

AGRICULTURAL SEATING

 \bigcirc



886

OFF ROAD SEATING MANUFACTURER



UnitedSeats for agricultural equipment and vehicles

"We unite your seat"

UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction and marine sectors. All seats are produced under contract for us in a state of the art modern 75,000 m² facility using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of 0EMS and a dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile, importantly for small and compact agricultural machines.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is 'Uniting your seat'.



Our main agricultural seats are robust and easy to operate and meet EEC 78/764 class 1/2/3 type approvals for farm tractors and forestry machines. Our standard range accommodates driver weight range up to 130 kgs and heavy duty versions to accommodate 150 kgs are available. All our suspension seats meet ISO 6683 seat belt strength approval, ISO 7096 construction approval, and all SIP dimensions are according to ISO 5353.

UnitedSeats has a wide range of accessories, such as safety critical items, like seat belts and seat switches. Special armrests and pods are available to carry joystick controls for various machines. A wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injury.

At UnitedSeats we've got your back!

We have seats for the following machinery:

S	Large tractor 100HP+
Bb	Medium tractor 60 - 100HP
56	Small tractors 30 - 60HP
67	Compact tractors & vineyard tractors
	Combine harvester
•	Crop sprayer
6	Large ride on mower
	Compact & small ride on mower
	Telescopic handler

Focus product range RANCHER PRO

UnitedSeats presents a new low back AIR seat: the Rancher Pro for agricultural, construction and industrial machines. It features integrated controls and powered adjustment for weight and height settings. Its cushions provide optimal comfort for the operator and the seat has a wide range of adjustments to improve cab ergonomics. For farmers the 20 degree swivel feature assists with rear view activities such as ploughing as well as helping with ingress/egress of the tractor cab.

Heavy duty fabric

Adjustable headrest

Adjustable lumbar support

Luxury armrests

Comfortable seat cushion with depth & tilt adjustment

Heavy duty slide rails

Easy to operate fully adjustable backrest

Variable damper

Powered weight adjuster

Turntable

Fore/aft isolator

Universal mounting pattern






RANCHER STD

STANDARD FEATURES

SEAT MEASUREMENTS



RANCHER ECO






STANDARD FEATURES







Fore/aft isolator

Slide rail travel

210 mm

Backrest adjustment


Armrests

OPTIONS

Operator presence switch N0/NC

Compressor 24V

SEAT MEASUREMENTS



SIP: 360 mm


RANCHER MEC



SEAT MEASUREMENTS











LGV90/C1

switch N0/NC

Ω


STANDARD FEATURES Air suspension 120 mm suspension travel Incl. compressor 12V Weight adjustment 50 - 130 kg Height adjustment 80 mm stepless Fore/aft isolator Slide rail travel 200 mm

Backrest adjustment

Lumbar support

Headrest & armrests

SEAT MEASUREMENTS



SIP: 320 mm

OPTIONS


LGV90/C2 TT

STANDARD FEATURES

SEAT MEASUREMENTS








LGV90/C2 PRO


STANDARD FEATURES



120 mm suspension travel Incl. compressor 12V



Height adjustment 80 mm stepless



Fore/aft isolator

Slide rail travel 200 mm

Backrest adjustment


Lumbar support

Headrest & armrests

OPTIONS

Operator presence switch N0/NC

SEAT MEASUREMENTS



SIP: 356 mm











MGV120/C8 PRO

STANDARD FEATURES


Mechanical suspension 100 mm suspension travel
Weight adjustment 50 - 150 kg
Slide rail travel 200 mm
Backrest adjustment

Seat cushion depth &

Lumbar support

Headrest & armrests

SEAT MEASUREMENTS



SIP: 380 mm

OPTIONS

Operator presence switch NO/NC

LGV120/C8 PRO

STANDARD FEATURES

100 mm suspension travel Incl. compressor 24V

Weight adjustment 50 - 150 kg

Slide rail travel

200 mm

Backrest adjustment

Seat cushion depth & tilt adjustment

Lumbar support

Headrest & armrests

HIGH BACK 370 mm 260 mm 490 mm

SEAT MEASUREMENTS

674 mm



OPTIONS

Operator presence switch NO/NC

Compressor 12V







HIGHLANDER PRO

STANDARD FEATURES

Incl. compressor 24V Weight adjustment

Height adjustment 80 mm stepless

Fore/aft isolator

Slide rail travel

tilt adjustment

Lumbar support

Adjustable damper


Headrest & armrests

210 mm

Air suspension

50 - 135 kg

SEAT MEASUREMENTS



	0	Operator presence switch NO/NC
-		
		Compressor 12V

HIGHLANDER STD

STANDARD FEATURES

120 mm suspension travel Incl. compressor 24V

Weight adjustment 50 - 135 kg

Height adjustment 80 mm stepless

Fore/aft isolator

Slide rail travel

Backrest adjustment


Lumbar support

Adjustable damper

210 mm

Air suspension

SEAT MEASUREMENTS





OPTIONS

Seat belt

Operator presence switch N0/NC


Also available in retro brown

CS85/C1

STANDARD FEATURES



SEAT MEASUREMENTS



SIP: 310 mm

OPTIONS




Operator presence switch N0/NC

CS85/C2 PRO


STANDARD FEATURES



90 mm suspension travel




Height adjustment 60 mm in 3 stages



Backrest adjustment

Seat cushion depth & tilt adjustment

SEAT MEASUREMENTS



SIP: 350 mm

OPTIONS



Headrest & armrests



Operator presence switch N0/NC



Seat is also available in PVC trim.

Seat is also available in PVC trim.

CS85/H90



STANDARD FEATURES



60 mm in 3 stages
Slide rail travel

Backrest adjustment Foldable

Headrest & armrests

150 mm

OPTIONS

Operator presence switch NO/NC

SEAT MEASUREMENTS



SIP: 310 mm



LGV84/TOP15

STANDARD FEATURES Small air suspension 100 mm suspension travel Incl. compressor 12V



- Height adjustment 80 - 140 mm

Fore/aft isolator

Slide rail travel

Backrest adjustment

Foldable


Headrest & armrests

Operator presence

switch N0/NC

OPTIONS

SEAT MEASUREMENTS



SIP: 340 mm

Compressor 24V

Seat is also available in PVC trim.

LGV84/C1

STANDARD FEATURES

SEAT MEASUREMENTS




SIANDARD FEATURES		SEAT MEASUREMENTS	
\$	Small air suspension 100 mm suspension travel Incl. compressor 12V	600 mm	
	Weight adjustment 50 - 130 kg	MEDIUM BACK	
	Height adjustment 80 - 140 mm		
	Fore/aft isolator	*	
«»	Slide rail travel 150 mm	290 mm	
« V	Backrest adjustment	120 mm 510 mm	
	Lumbar support	SIP: 320 mm	
-*	Headrest & armrests		
ΟΡΤΙ	ONS		
0	Operator presence switch NO/NC	Compressor 24V	

LGV84/C6

STANDARD FEATURES



SEAT MEASUREMENTS



SIP: 320 mm

OPTIONS



Operator presence switch NO/NC








MGV84/C1

STANDARD FEATURES



SEAT MEASUREMENTS



SIP: 320 mm



STANDARD FEATURES



100 mm suspension travel

MGV84/5010 SM

Height adjustment




150 mm

OPTIONS

Headrest

Operator presence switch N0/NC

SEAT MEASUREMENTS



SIP: 320 mm

Seat is also available in PVC trim.

MGV84/Mi560

Small mechanical suspension 100 mm suspension travel

STANDARD FEATURES

Weight adjustment


SEAT MEASUREMENTS







Operator presence switch N0/NC



SIP: 315 mm

MGV84/Mİ400

STANDARD FEATURES



Small mechanical suspension 100 mm suspension travel





Height adjustment

40 - 140 mm Slide rail travel




OPTIONS



Operator presence switch N0/NC

SEAT MEASUREMENTS



SIP: 315 mm





T600

STANDARD FEATURES

Weight adjustment 50 - 120 kg

Height adjustment

Slide rail travel 160 mm

60 mm

Armrests

Seat belt

Operator presence

switch N0/NC


OPTIONS

4

Rear pedestal

SEAT MEASUREMENTS





SIP: 310 mm



Seat is also available in fabric trim.



T700 & W700 both have an adjustable base.

мі400

STANDARD FEATURES

Operator presence switch NO/NC

Seat pan PVC with drainage Water- and weather proof

Steel shell


Black PVC

Seat belt

Slide rails Turntable Suspension

OPTIONS

SEAT MEASUREMENTS





🏍 👶 🏍

мі560


STANDARD FEATURES

Seat pan PVC Water- and weather proof Multi hole mounting pattern One piece foam with drainage

OPTIONS

Operator presence switch NO/NC						
Seat belt						
Slide rails						
Turntable						
Suspension						

SEAT MEASUREMENTS







16











Mi600

Water- and weather proof

Multi hole mounting pattern

Operator presence switch NO/NC

Heavy duty PVC

Plastic shell


Black PVC

Seat belt Slide rails Suspension Yellow PVC Grey PVC

OPTIONS

STANDARD FEATURES

SEAT MEASUREMENTS



Mİ800


STANDARD FEATURES

Seat pan PVC with drainage						
Water- and weather proof						
Plastic shell						
Black PVC						

OPTIONS

Operator presence switch NO/NC						
Seat belt						
Slide rails						
Suspension						
Armrests						

SEAT MEASUREMENTS





5010 VARIO SM (NARROW)

STANDARD FEATURES

SEAT MEASUREMENTS



Operator presence switch N0/NC

LOW BACK 1 200 mm 113 mm 390 mm

SIP: 230 mm

5010 VARIO seat width: 490 mm

MGV35 C (COMFORT VERSION)

STANDARD FEATURES

Mechanical suspension 80 mm suspension travel

Weight adjustment



Slide rail travel 180 mm

Operator presence switch N0/NC

Backrest adjustment

Fold forward feature

Seat belt

OPTIONS

Headrest & armrests

SEAT MEASUREMENTS 560 mm LOW BACK ╋ 180 mm

450 mm

SIP: 225 mm

328 mm

490 mm



Seat is also available in fabric trim.

Seat is also available in fabric trim.


Backrest can fold fully forward.



MGV55 (MID BACKREST)

STANDARD FEATURES

SEAT MEASUREMENTS



620 640

Seat is in heavy duty PVC. Also available in fabric trim.

Backrest can fold fully forward. Seat is also available in comfort version with seat width 490 mm.

US20


STANDARD FEATURES



Mechanical suspension 40 mm suspension travel



Slide rail travel




150-328 mm in width

Operator presence switch NO/NC

Backrest adjustment

SEAT MEASUREMENTS



SIP: 160 mm




SEAT OPTIONS













SEAT OPTIONS














SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats. Further options available upon request.



LGV90/C7 Pro with pods

MGV35 with joystick armrest

C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions. Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt. Further options available upon request.



2-point Hi-Viz seat belt

3-point Hi-Viz seat belt

4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available. Further options available upon request.





Custom made Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

