



CONSTRUCTION SEATING



OFF ROAD SEATING MANUFACTURER



UnitedSeats for construction vehicles

“We unite your seat”



UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction and marine sectors. All seats are produced under contract for us in a most highly equipped 75,000 m² facility, using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of OEMS and a dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile, importantly for small & compact construction machines low profile.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is ‘Uniting your seat’.



Our construction seats are heavy duty and our latest models like the LGV120/C8 Pro can accommodate driver weights up to 150 kgs. Our MGV35 and MGV55 seats meet the IT1/IT2 and 13490 standards. All our suspension seats meet ISO 6683 (seat belt strength approval), ISO 7096 (construction vibration approval) and all SIP dimensions are according to ISO 5353.

UnitedSeats has a wide range of safety critical items, such as seat belts and operator presence switches.

Special armrests and pods are available to carry joystick controls for various machines. Also a wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injuries.

At UnitedSeats we've got your back!

We have seats for the following machinery:

	Excavator
	Large wheeled loaders
	Medium wheeled loaders
	Small wheeled loaders
	Road rollers & compactor machinery
	Backhoe loaders
	Skid steer & compact track loaders
	Site dumper
	Telescopic handler
	Bulldozer

Focus product range

LGV120/C8 PRO 3P

Our latest range of seats is heavy duty and ideal for large construction equipment such as wheeled loaders, excavators, large telescopic, bulldozers and compactors. The LGV120 suspension has a simple updown lever to adjust the air ride. It can accommodate drivers up to 150 kgs. It is available with 12V or 24V integral compressor and a mechanical MG120 is also available.

With the strong C8 Pro upper it can also be fitted with 3-point or 4-point seat belts. It can also be delivered with pods for joystick controls.

Various armrests available

Comfortable seat cushion with depth & tilt adjustment (Pro version)

Heavy duty slide rails

Pneumatic heavy duty air suspension with 12V or 24V compressor

Adjustable headrest

Various seat belts available

Comfort foam cushions with lateral support

Ergonomical adjustable lumbar support

Easy to operate fully adjustable backrest


Universal mounting pattern








LGV120/C8 PRO


STANDARD FEATURES


-  **Air suspension**
100 mm suspension travel
Incl. compressor 24V


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**


-  **Lumbar support**

-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**





Seat is also available in PVC trim.





MGV120/C8 PRO 3P


STANDARD FEATURES


-  **Mechanical suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**


-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Seat belt**





Seat is also available in PVC trim.





MGV120/C8 PRO


STANDARD FEATURES


-  **Mechanical suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Headrest & armrests**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS

-  **Operator presence switch NO/NC**



LGV120/C7 PRO

STANDARD FEATURES

-  **Air suspension**
100 mm suspension travel
incl. compressor 24V


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**


SEAT MEASUREMENTS




OPTIONS

-  **Headrest**

-  **Joystick armrests**

-  **Operator presence switch NO/NC**

-  **Compressor 12V**





Seat is also available in fabric and PVC trim.





HIGHLANDER PRO


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 24V


-  **Weight adjustment**
50 - 135 kg


-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Adjustable damper**


-  **Headrest & armrests**


SEAT MEASUREMENTS



SIP: 360 mm

OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 12V**




Seat is also available in PVC trim.




HIGHLANDER STD


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 24V


-  **Weight adjustment**
50 - 135 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**

-  **Adjustable damper**


-  **Headrest & armrests**


SEAT MEASUREMENTS




SIP: 375 mm

OPTIONS

-  **Seat belt**

-  **Operator presence switch NO/NC**

-  **Compressor 12V**



Seat is also available in PVC trim.


RANCHER PRO



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
incl. compressor 12V


-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**


SEAT MEASUREMENTS




SIP: 360 mm


OPTIONS


-  **Operator presence switch NO/NC**

-  **Compressor 24V**

 **Adjustable damper**

 **Turn table 20°/20° swivel**

 **Lumbar support**

 **Headrest & armrests**



Seat is also available in PVC trim.

RANCHER STD



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
incl. compressor 12V

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Headrest & armrests**


-  **Turn table 20°/20° swivel**


SEAT MEASUREMENTS



SIP: 360 mm

OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24V**

 **Adjustable damper**




Seat is also available in PVC trim.

RANCHER ECO



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
incl. compressor 12V

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Armrests**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS


-  **Operator presence switch NO/NC**





RANCHER MEC





STANDARD FEATURES

-  **Mechanical suspension**
120 mm suspension travel


-  **Weight adjustment**
50 - 135 kg

-  **Slide rail travel**
210 mm


-  **Backrest adjustment**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**



Seat is also available in PVC trim.



LGV120/C7 PRO 3P

STANDARD FEATURES

-  **Air suspension**
100 mm suspension travel
incl. compressor 24V


-  **Weight adjustment**
50 - 150 kg


-  **Slide rail travel**
200 mm



-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

OPTIONS


-  **Armrests & pods**

 -  **Headrest**

 -  **Seat belt**
-  **Operator presence switch NO/NC**

 -  **Compressor 12V**

SEAT MEASUREMENTS



SIP: 390 mm



Seat is also available in PVC trim.



LGV90/C7 PRO

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
incl. compressor 12V

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless




-  **Fore/aft isolator**

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

OPTIONS

-  **Headrest & armrests**
-  **Operator presence switch NO/NC**
-  **Compressor 24V**

SEAT MEASUREMENTS



SIP: 390 mm



Seat is also available in PVC trim.




Also available
in wide version





Seat is in heavy duty PVC. Also available in fabric trim.


MGV55 (MID BACKREST)


STANDARD FEATURES


-  **Mechanical suspension**
80 mm suspension travel


-  **Weight adjustment**
50 - 155 kg


-  **Slide rail travel**
180 mm

-  **Operator presence switch NO/NC**


-  **Backrest adjustment**

-  **Fold forward feature**

-  **Seat belt**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Headrest**

Backrest can fold fully forward.

Seat is also available with seat width 490 mm.



Also available
in comfort version



Seat is in heavy duty PVC. Also available in fabric trim.

MGV35 (LOW BACKREST)

STANDARD FEATURES

-  **Mechanical suspension**
80mm suspension travel

-  **Weight adjustment**
50 - 155 kg

-  **Slide rail travel**
180 mm


-  **Operator presence switch NO/NC**

-  **Backrest adjustment**

-  **Fold forward feature**


-  **Seat belt**

SEAT MEASUREMENTS



OEM variant - SIP: 210 mm
available upon request

OPTIONS


-  **Headrest & armrests**


Backrest can fold fully forward. Seat is also available in
comfort version with seat width 490 mm.





LGV90/C2 PRO


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V


-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
200 mm




-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

SEAT MEASUREMENTS



OPTIONS

-  **Headrest & armrests**
-  **Operator presence switch NO/NC**
-  **Compressor 24V**



Seat is also available in PVC trim.



CS85/C7 PRO

STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg


-  **Height adjustment**
60 mm in 3 stages

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

SEAT MEASUREMENTS



OPTIONS

-  **Headrest & armrests**

-  **Operator presence switch NO/NC**





Seat is also available in PVC trim.




CS85/C1

STANDARD FEATURES


 **Mechanical suspension**
90 mm suspension travel

 **Weight adjustment**
50 - 125 kg


 **Height adjustment**
60 mm in 3 stages

 **Slide rail travel**
150 mm

 **Backrest adjustment**

 **Lumbar support**

SEAT MEASUREMENTS




SIP: 310 mm

OPTIONS

 **Headrest & armrests**

 **Seat belt**


 **Operator presence switch NO/NC**




Seat is also available in PVC trim.


MGV25/C5

STANDARD FEATURES


 **Mechanical suspension**
50 mm suspension travel


 **Weight adjustment**
50 - 130 kg

 **Slide rail travel**
150 mm


 **Backrest adjustment**

OPTIONS

 **Headrest & armrests**

 **Operator presence switch NO/NC**

SEAT MEASUREMENTS



SIP: 245 mm





Seat is also available in PVC trim.

MGV25





STANDARD FEATURES


 **Mechanical suspension**
50 mm suspension travel

 **Weight adjustment**
50 - 125 kg


 **Slide rail travel**
150 mm

 **Operator presence switch NO**

 **Backrest adjustment**

 **Fold forward feature**

SEAT MEASUREMENTS



SIP: 225 mm

OPTIONS

 **Seat belt**




Seat is in heavy duty PVC. Also available in fabric trim.

US20





STANDARD FEATURES


 **Mechanical suspension**
40 mm suspension travel

 **Weight adjustment**
50 - 125 kg


 **Slide rail travel**
150 mm

 **Slide rail adjustment**
150-328 mm in width

 **Operator presence switch NO/NC**

 **Backrest adjustment**

SEAT MEASUREMENTS



SIP: 160 mm



Seat is in heavy duty PVC. Also available in fabric trim (with a GS12 seating).

Mi800


STANDARD FEATURES

- Seat pan PVC with drainage
- Water- and weather proof
- Plastic shell
- Black PVC

OPTIONS

- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Armrests

SEAT MEASUREMENTS



Plastic pan seat fits a variety of small/compact construction machines.

Mi600


STANDARD FEATURES

- Heavy duty PVC
- Water- and weather proof
- Plastic shell
- Multi hole mounting pattern
- Black PVC

OPTIONS

- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Yellow PVC
- Grey PVC

SEAT MEASUREMENTS



Yellow



Grey



Plastic pan seat fits a variety of small/compact construction machines.

SEAT OPTIONS

Different types of armrests



Multi adjustable armrests



Air & mechanical suspensions



Slide rails



Various seat belts




Turntables



SEAT OPTIONS

Operator presence switch NO/NC



Delta switch NO/NC



Fore/aft isolator



Heating



Joystick console



Headrests and custom logo



SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats.
Further options available upon request.



LGV90/C7 Pro with pods



MGV35 with joystick armrest



C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions.
Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt.
Further options available upon request.



2-point Hi-Viz seat belt



3-point Hi-Viz seat belt



4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available.
Further options available upon request.

ON.151107



ON.151109



ON.150757S



ON.151108



ON.150756S



ON.150855



OFF ROAD **SEATING** MANUFACTURER

Custom **made in** Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

