



AGRICULTURAL SEATING



OFF ROAD SEATING MANUFACTURER



UnitedSeats for agricultural equipment and vehicles

“We unite your seat”



UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction and marine sectors. All seats are produced under contract for us in a state of the art modern 75,000 m² facility using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of OEMs and a dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile, importantly for small and compact agricultural machines.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is ‘Uniting your seat’.









Our main agricultural seats are robust and easy to operate and meet EEC 78/764 class 1/2/3 type approvals for farm tractors and forestry machines. Our standard range accommodates driver weight range up to 130 kgs and heavy duty versions to accommodate 150 kgs are available. All our suspension seats meet ISO 6683 seat belt strength approval, ISO 7096 construction approval, and all SIP dimensions are according to ISO 5353.

UnitedSeats has a wide range of accessories, such as safety critical items, like seat belts and seat switches. Special armrests and pods are available to carry joystick controls for various machines. A wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injury.

At UnitedSeats we've got your back!


We have seats for the following machinery:

-  Large tractor 100HP+
-  Medium tractor 60 - 100HP
-  Small tractors 30 - 60HP
-  Compact tractors & vineyard tractors
-  Combine harvester
-  Crop sprayer
-  Large ride on mower
-  Compact & small ride on mower
-  Telescopic handler

Focus product range

RANCHER PRO

UnitedSeats presents a new low back AIR seat: the Rancher Pro for agricultural, construction and industrial machines. It features integrated controls and powered adjustment for weight and height settings. Its cushions provide optimal comfort for the operator and the seat has a wide range of adjustments to improve cab ergonomics. For farmers the 20 degree swivel feature assists with rear view activities such as ploughing as well as helping with ingress/egress of the tractor cab.





RANCHER STD





Seat is also available in PVC trim.


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
incl. compressor 12V


-  **Weight adjustment**
50 - 135 kg


-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Lumbar support**

-  **Headrest & armrests**


-  **Turn table 20°/20° swivel**


-  **Adjustable damper**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24V**

RANCHER ECO



Seat is also available in PVC trim.

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm


-  **Backrest adjustment**


-  **Armrests**

SEAT MEASUREMENTS



OPTIONS


-  **Operator presence switch NO/NC**


-  **Compressor 24V**


RANCHER MEC





STANDARD FEATURES


-  **Mechanical suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**

-  **Adjustable lumbar support**


-  **Armrests**

SEAT MEASUREMENTS



SIP: 360 mm

OPTIONS

-  **Operator presence switch NO/NC**



Seat is also available in PVC trim.

LGV90/C1



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
200 mm

-  **Backrest adjustment**

-  **Lumbar support**


-  **Headrest & armrests**

SEAT MEASUREMENTS



SIP: 320 mm

OPTIONS

-  **Seat belt**
-  **Compressor 24V**
-  **Operator presence switch NO/NC**





Seat is also available in PVC trim.


LGV90/C2 TT





STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V


-  **Weight adjustment**
50 - 130 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Armrests**


-  **Turntable**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS

-  **Operator presence switch NO/NC**




LGV90/C2 PRO



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V

-  **Weight adjustment**
50 - 130 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
200 mm

-  **Backrest adjustment**

-  **Lumbar support**


-  **Headrest & armrests**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS


-  **Operator presence switch NO/NC**





MGV120/C8 PRO





STANDARD FEATURES


-  **Mechanical suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**


-  **Lumbar support**

-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**





Seat is also available in PVC trim.


LGV120/C8 PRO





STANDARD FEATURES


-  **Air suspension**
100 mm suspension travel
Incl. compressor 24V


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**


-  **Lumbar support**


-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 12V**





Seat is also available in PVC trim.





HIGHLANDER PRO


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 24V


-  **Weight adjustment**
50 - 135 kg


-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**


-  **Adjustable damper**


-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 12V**




Seat is also available in PVC trim.



HIGHLANDER STD


STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel
Incl. compressor 24V

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
210 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Adjustable damper**


SEAT MEASUREMENTS



-  **Headrest & armrests**

OPTIONS


-  **Seat belt**

-  **Operator presence switch NO/NC**


-  **Compressor 12V**



Seat is also available in PVC trim.





Also available in retro brown





CS85/C1

STANDARD FEATURES


-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg

-  **Height adjustment**
60 mm in 3 stages


-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Lumbar support**


-  **Headrest & armrests**

SEAT MEASUREMENTS




Seat is also available in PVC trim.


OPTIONS





CS85/C2 PRO


STANDARD FEATURES


-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg


-  **Height adjustment**
60 mm in 3 stages

-  **Heavy duty slide rails**

-  **Backrest adjustment**



-  **Seat cushion depth & tilt adjustment**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS



CS85/H90



STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg


-  **Height adjustment**
60 mm in 3 stages

-  **Slide rail travel**
150 mm

-  **Backrest adjustment**
Foldable


-  **Headrest & armrests**

SEAT MEASUREMENTS



SIP: 310 mm

OPTIONS

-  **Operator presence switch NO/NC**



Seat is also available in PVC trim.

LGV84/TOP15



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel
Incl. compressor 12V

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 - 140 mm


-  **Fore/aft isolator**

-  **Slide rail travel**
100 mm

-  **Backrest adjustment**
Foldable


-  **Headrest & armrests**

SEAT MEASUREMENTS



SIP: 340 mm

OPTIONS

-  **Operator presence switch NO/NC**



Compressor 24V











Seat is also available in PVC trim.


LGV84/C1



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel
Incl. compressor 12V
-  **Weight adjustment**
50 - 130 kg
-  **Height adjustment**
80 - 140 mm
-  **Fore/aft isolator**
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Lumbar support**
-  **Headrest & armrests**

SEAT MEASUREMENTS




SIP: 320 mm



Seat is also available in PVC trim.

OPTIONS

-  **Operator presence switch NO/NC**




LGV84/C6



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel
Incl. compressor 12V
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Fore/aft isolator**
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Armrests**

SEAT MEASUREMENTS




SIP: 320 mm



Seat is also available in PVC trim.

OPTIONS









-  **Operator presence switch NO/NC**




MGV84/C1



STANDARD FEATURES

-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Lumbar support**
-  **Armrests**
-  **Headrest & armrests**

SEAT MEASUREMENTS




SIP: 320 mm



Seat is also available in PVC trim.





OPTIONS

-  **Operator presence switch NO/NC**


MGV84/5010 SM



STANDARD FEATURES



-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm

SEAT MEASUREMENTS



SIP: 320 mm

OPTIONS

-  **Headrest**
-  **Operator presence switch NO/NC**



Seat is also available in fabric trim.

MGV84/MI560

STANDARD FEATURES



Small mechanical suspension
100 mm suspension travel



Weight adjustment
50 - 120 kg



Height adjustment
80 - 140 mm



Slide rail travel
150 mm


OPTIONS



Operator presence
switch NO/NC



SEAT MEASUREMENTS



SIP: 315 mm



MGV84/MI400

STANDARD FEATURES



Small mechanical suspension
100 mm suspension travel



Weight adjustment
50 - 120 kg



Height adjustment
40 - 140 mm



Slide rail travel
150 mm


OPTIONS



Operator presence
switch NO/NC



SEAT MEASUREMENTS



SIP: 315 mm



Seat is also available in fabric trim.

T600



STANDARD FEATURES

-  Rear pedestal mechanical suspension
80 mm suspension travel

-  Weight adjustment
50 - 120 kg


-  Height adjustment
60 mm

-  Slide rail travel
160 mm

-  Armrests


-  Seat belt

SEAT MEASUREMENTS




SIP: 310 mm

OPTIONS

-  Operator presence switch NO/NC



Seat is also available in fabric trim.



W700 black



W700 yellow



W700 blue





Sloping base adjustment





T700 & W700

STANDARD FEATURES


-  Rear pedestal mechanical suspension
80 mm suspension travel

-  Weight adjustment
50 - 120 kg

-  Slide rail travel
150 mm


-  Sloping base adjustment
from 12° to 25°

SEAT MEASUREMENTS



SIP: 285 mm

OPTIONS

-  Operator presence switch NO/NC



T700 & W700 both have an adjustable base.

Mi400

STANDARD FEATURES

Seat pan PVC with drainage

Water- and weather proof

Steel shell

Black PVC

OPTIONS

Operator presence switch NO/NC

Seat belt


Slide rails

Turntable

Suspension



SEAT MEASUREMENTS



Mi560

STANDARD FEATURES

Seat pan PVC

Water- and weather proof

Multi hole mounting pattern

One piece foam with drainage

OPTIONS

Operator presence switch NO/NC

Seat belt


Slide rails

Turntable

Suspension



SEAT MEASUREMENTS





Yellow



Grey



Mi600


STANDARD FEATURES

- Heavy duty PVC
- Water- and weather proof
- Plastic shell
- Multi hole mounting pattern
- Black PVC

OPTIONS

- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Yellow PVC
- Grey PVC

SEAT MEASUREMENTS



Mi800


STANDARD FEATURES

- Seat pan PVC with drainage
- Water- and weather proof
- Plastic shell
- Black PVC

OPTIONS


- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Armrests

SEAT MEASUREMENTS





5010 VARIO





Sloping base adjustment




5010 VARIO SM (NARROW)

STANDARD FEATURES


 **Mechanical suspension**
90 mm suspension travel

 **Weight adjustment**
50 - 130 kg


 **Slide rail travel**
170 mm

 **Sloping base adjustment available**

OPTIONS

 **Operator presence switch NO/NC**

SEAT MEASUREMENTS



SIP: 230 mm


5010 VARIO seat width: 490 mm



Seat is also available in fabric trim.


MGV35 C (COMFORT VERSION)


STANDARD FEATURES


 **Mechanical suspension**
80 mm suspension travel

 **Weight adjustment**
50 - 155 kg

 **Slide rail travel**
180 mm


 **Operator presence switch NO/NC**

 **Backrest adjustment**


 **Fold forward feature**

 **Seat belt**

OPTIONS

 **Headrest & armrests**

SEAT MEASUREMENTS



SIP: 225 mm



Seat is also available in fabric trim.

Backrest can fold fully forward.




Also available
in wide version




Seat is in heavy duty PVC. Also available in fabric trim.


MGV55 (MID BACKREST)


STANDARD FEATURES


 **Mechanical suspension**
80 mm suspension travel

 **Weight adjustment**
50 - 155 kg

 **Slide rail travel**
180 mm

 **Operator presence
switch NO/NC**


 **Backrest adjustment**

 **Fold forward feature**

 **Seat belt**

 **Armrests**

SEAT MEASUREMENTS



OPTIONS





Backrest can fold fully forward.

Seat is also available in comfort version with seat width 490 mm.


US20


STANDARD FEATURES


 **Mechanical suspension**
40 mm suspension travel

 **Weight adjustment**
50 - 125 kg


 **Slide rail travel**
150 mm

 **Slide rail adjustment**
150-328 mm in width

 **Operator presence
switch NO/NC**

 **Backrest adjustment**

SEAT MEASUREMENTS



Seat is in heavy duty PVC. Also available in fabric trim (with a GS12 seating).

SEAT OPTIONS

Different types of armrests



Multi adjustable armrests



Air & mechanical suspensions



Slide rails



Various seat belts




Turntables



SEAT OPTIONS

Operator presence switch NO/NC



Delta switch NO/NC



Fore/aft isolator



Heating



Joystick console



Headrests and custom logo



SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats.
Further options available upon request.



LGV90/C7 Pro with pods



MGV35 with joystick armrest



C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions.
Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt.
Further options available upon request.



2-point Hi-Viz seat belt



3-point Hi-Viz seat belt



4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available.
Further options available upon request.

ON.151107



ON.151109



ON.150757S



ON.151108



ON.150756S



ON.150855





OFF ROAD **SEATING** MANUFACTURER

Custom **made in** Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

