



FORKLIFT SEATING



QUALITY SEATING MANUFACTURER



UnitedSeats for forklift trucks and industrial machines

“We unite your seat”



UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction, transport and marine sectors. All seats are produced under contract for us in a state of the art modern 75,000 m² facility using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of OEMs and dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile. Important for forklifts and industrial machines low profile.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is ‘Uniting your seat’.



Our latest range of MGV35/MGV55 forklift seats importantly meet IT1/IT2 and EN13490 standards. UnitedSeats products, such as our Rancher Std, meet the ISO 6683 (seat belt strength approval) for seat belts used in forklift machines. Compliance with this standard can help ensure the safety of forklift operators by reducing the risk of injuries during operations or a sudden stop.

UnitedSeats has a wide range of safety critical items, such as seat belts and seat switches.

Special armrests and pods are available to carry joystick controls for various machines. These joystick consoles are also available to retrofit our seats. Also a wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injuries.

At UnitedSeats we've got your back!

We have seats for the following machinery:



Large counterbalance trucks 11 - 16 ton



Medium counterbalance trucks 4 - 10 ton



Small counterbalance trucks 1 - 4 ton



Reach trucks



Rough terrain forklifts



Baggage tow tractors



Side loaders




Industrial vehicles

Focus product range

MGV35 & MGV55

Our latest range of seats meets EN13490 IT1/IT2 standards for forklift trucks and ISO 7096 EM1 to EM3 and EM5 to EM9 standards for construction equipment. Besides these two standards we focus on providing our seats with a seat belt that meets the ISO 6683 standards (seat belt strength approval).

Our UnitedSeats seats with a SIP point of 225 mm makes them ideal for forklifts & low cabin construction machinery and the 80 mm suspension stroke makes every ride comfortable. For forklift (drivers) who need an even lower suspension, versions are now available with a 210 mm SIP.




MGV35



STANDARD FEATURES



-  **Mechanical suspension**
80 mm suspension travel
-  **Weight adjustment**
50 - 155 kg
-  **Slide rail travel**
180 mm
-  **Operator presence switch NO/NC**
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Seat belt**

SEAT MEASUREMENTS



Seat is also available in fabric trim and in comfort version with seat width 490 mm. Backrest can fold fully forward.

OPTIONS

-  **Headrest & armrests**
-  **12V or 24V heating**


MGV35 LOW SIP



STANDARD FEATURES


-  **Mechanical suspension**
65 mm suspension travel
-  **Weight adjustment**
50 - 155 kg
-  **Slide rail travel**
180 mm
-  **Operator presence switch NO/NC**
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Seat belt**

SEAT MEASUREMENTS



SIP SIP point is 15 mm lower than the standard version

OPTIONS

-  **Headrest & armrests**
-  **12V or 24V heating**





Seat is also available in fabric trim and in comfort version with seat width 490 mm. Backrest can fold fully forward.

MGV35 C (COMFORT VERSION)





STANDARD FEATURES

 **Mechanical suspension**
80 mm suspension travel

 **Weight adjustment**
50 - 155 kg

 **Slide rail travel**
180 mm


 **Operator presence switch NO/NC**

 **Backrest adjustment**


 **Fold forward feature**

 **Seat belt**

SEAT MEASUREMENTS



OPTIONS

 **Headrest & armrests**



Seat is also available in fabric trim. Backrest can fold fully forward.

MGV55 W (WIDE VERSION)





STANDARD FEATURES


 **Mechanical suspension**
80 mm suspension travel

 **Weight adjustment**
50 - 155 kg

 **Slide rail travel**
180 mm


 **Operator presence switch NO/NC**

 **Backrest adjustment**


 **Fold forward feature**


 **Seat belt**

SEAT MEASUREMENTS



OPTIONS

 **Headrest & armrests**

 **12V or 24V heating**










Seat is also available in fabric trim. Backrest can fold fully forward.


MGV55





STANDARD FEATURES

-  **Mechanical suspension**
80 mm suspension travel
-  **Weight adjustment**
50 - 155 kg
-  **Slide rail travel**
180 mm
-  **Operator presence switch NO/NC**
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Seat belt**

SEAT MEASUREMENTS



OPTIONS

-  **Headrest & armrests**
-  **12V or 24V heating**



Seat is also available in PVC trim.


MGV25





STANDARD FEATURES

-  **Mechanical suspension**
50 mm suspension travel
-  **Weight adjustment**
50 - 125 kg
-  **Slide rail travel**
150 mm
-  **Operator presence switch NO**
-  **Backrest adjustment**
-  **Fold forward feature**

SEAT MEASUREMENTS



OPTIONS

-  **Seat belt**
-  **Headrest & armrests**




Seat is also available in fabric trim.




MG25/C5

STANDARD FEATURES


 **Mechanical suspension**
50 mm suspension travel


 **Weight adjustment**
50 - 125 kg

 **Slide rail travel**
150 mm


 **Backrest adjustment**

OPTIONS


 **Headrest & armrests**

 **Operator presence switch NO**

 **Seat belt**

 **12V or 24V heating**

SEAT MEASUREMENTS





Seat is also available in PVC trim.



CS85/C5


STANDARD FEATURES

 **Mechanical suspension**
90 mm suspension travel


 **Height adjustment**
60 mm in 3 stages


 **Weight adjustment**
50 - 125 kg

 **Slide rail travel**
150 mm


 **Backrest adjustment**

OPTIONS


 **Headrest & armrests**

 **Operator presence switch NO/NC**

 **Seat belt**

 **12V or 24V heating**

SEAT MEASUREMENTS




Seat is also available in PVC trim.



Seat is also available in PVC trim.


LGV35/C5

STANDARD FEATURES


 **Low profile air suspension**
60 mm suspension travel
Incl. compressor 12V


 **Weight adjustment**
45 - 150 kg

 **Slide rail travel**
200 mm


 **Backrest adjustment**

OPTIONS


 **Headrest & armrests**

 **Operator presence switch NO/NC**

 **Seat belt**

 **12V or 24V heating**

SEAT MEASUREMENTS




 **Compressor 24V**



Seat is also available in fabric trim.


LGV64/C2


STANDARD FEATURES


 **Low profile air suspension**
60 mm suspension travel
Incl. compressor 12V

 **Weight adjustment**
45 - 125 kg

 **Slide rail travel**
180 mm


 **Backrest adjustment**

 **Armrests**

 **Operator presence switch NO/NC**


 **Seat belt**

SEAT MEASUREMENTS



OPTIONS

 **Headrest**


 **12V or 24V heating**


 **Compressor 24V**

MGV25/C1




STANDARD FEATURES


 **Mechanical suspension**
50 mm suspension travel

 **Weight adjustment**
50 - 130 kg


 **Slide rail travel**
150 mm


 **Slide rail adjustment**
150-328 mm in width

 **Backrest adjustment**


 **Lumbar support**


OPTIONS

 **Headrest & armrests**

 **Operator presence switch NO/NC**

SEAT MEASUREMENTS



 12V or 24V heating





Seat is also available in PVC trim.

CS85/C1




STANDARD FEATURES


 **Mechanical suspension**
90 mm suspension travel

 **Height adjustment**
60 mm in 3 stages

 **Weight adjustment**
50 - 125 kg


 **Slide rail travel**
150 mm


 **Backrest adjustment**

 **Lumbar support**


OPTIONS

 **Headrest & armrests**

 **Operator presence switch NO/NC**

 12V or 24V heating

SEAT MEASUREMENTS




Seat is also available in fabric trim.


CS85/H90 AR




STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel
-  **Weight adjustment**
50 - 125 kg
-  **Height adjustment**
60 mm in 3 stages
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
Foldable
-  **Armrests**
-  **Headrest**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**









Seat is also available in PVC trim.


CS85/C2 PRO





STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel
-  **Height adjustment**
60 mm in 3 stages
-  **Weight adjustment**
50 - 125 kg
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Seat cushion depth & tilt adjustment**

SEAT MEASUREMENTS



OPTIONS

-  **Headrest & armrests**
-  **Operator presence switch NO/NC**




Seat is also available in fabric trim.

RANCHER STD




Seat is also available in PVC trim.




STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V
-  **Weight adjustment**
50 - 135 kg
-  **Height adjustment**
80 mm stepless
-  **Fore/aft isolator**
-  **Slide rail travel**
210 mm
-  **Backrest adjustment**
-  **Lumbar support**
-  **Headrest & armrests**
-  **Turn table 20°/20° swivel**
-  **Adjustable damper**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**
-  **Seat belt**
-  **Compressor 24V**



PVC-version




MGV20

STANDARD FEATURES

-  **Mechanical suspension**
35 mm suspension travel
-  **Weight adjustment**
45 - 120 kg
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Adjustable lumbar support**
-  **Operator presence switch NO/NC with 3 pin connector**

SEAT MEASUREMENTS



OPTIONS

-  **Seat belt**




Seat is also available in PVC trim.


RANCHER ARTISAN



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel
Incl. compressor 12V
-  **Weight adjustment**
50 - 135 kg
-  **Height adjustment**
80 mm stepless
-  **Fore/aft isolator**
-  **Slide rail travel**
210 mm
-  **Backrest adjustment**
-  **Lumbar support**
-  **Headrest & armrests**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

OPTIONS

-  **Operator presence switch NO/NC**
-  **Compressor 24V**
-  **Adjustable damper**


US20



STANDARD FEATURES

-  **Mechanical suspension**
40 mm suspension travel
-  **Weight adjustment**
50 - 125 kg
-  **Slide rail travel**
150 mm
-  **Slide rail adjustment**
150 - 328 mm in width
-  **Operator presence switch NO/NC**
-  **Backrest adjustment**

SEAT MEASUREMENTS



OPTIONS

-  **Seat belt**
-  **Armrests**
-  **24V heated seat cushion**



Seat is in also available in fabric trim.



Mi800


STANDARD FEATURES

- Seat pan PVC with drainage
- Water- and weather proof
- Plastic shell
- Black PVC

OPTIONS

- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Armrests
- Yellow PVC

SEAT MEASUREMENTS



Mi600


STANDARD FEATURES

- Heavy duty PVC
- Water- and weather proof
- Plastic shell
- Multi hole mounting pattern
- Black PVC

OPTIONS

- Operator presence switch NO/NC
- Seat belt
- Slide rails
- Suspension
- Yellow PVC
- Grey PVC

SEAT MEASUREMENTS



Mi560


STANDARD FEATURES

Seat pan PVC
 Water- and weather proof
 Multi hole mounting pattern
 One piece foam with drainage
 Steel shell

OPTIONS

Operator presence switch NO/NC
 Seat belt
 Slide rails
 Turntable
 Suspension

SEAT MEASUREMENTS



Mi1000


STANDARD FEATURES

Heavy duty PVC
 Water- and weather proof
 Multi hole mounting pattern
 One piece foam with drainage
 Operator presence switch NO/NC
 Steel back

OPTIONS

Seat belt
 Slide rails
 Turntable
 Suspension
 Yellow PVC

SEAT MEASUREMENTS



OPTIONS

Different types of armrests



Multi adjustable armrests



Air & mechanical suspensions



Slide rails



Various seat belts




Turntables



OPTIONS

Operator presence switch NO/NC



Delta switch NO/NC



Fore/aft isolator



Heating



Joystick console



Headrests and custom logo



SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats.
Further options available upon request.



LGV90/C7 Pro with pods



MGV35 with joystick armrest



C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions.
Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt.
Further options available upon request.



2-point Hi-Viz seat belt



3-point Hi-Viz seat belt



4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available.
Further options available upon request.


ON.151107



ON.151109



ON.150757S



ON.151108



ON.150756S



ON.150855





QUALITY SEATING MANUFACTURER

Custom
made in Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

